JUN 2 2 2004

OFFICIAL

PATL3.0-010PCT/US

In the United States Patent and Trademark Office

In Re: Gordhanbhai N. Patel
SN: 10/009,090
Filed: 11/15/2001
For: Indicators for monitoring sterilization
With Plasma.

Hon Commissioner for Patents
PO Box 1450
Alexandria VA 22313-1450

Group Art Unit 1743
Examiner: Cross, LaToya
Confirmation # 6317

I hereby certify that this correspondence
and/or fee is being deposited with the United
States Postal Service as First Class Mail in an
envelope addressed to Commissioner for
Patents PO Box 1450, Alexandria VA 22313-
1450 on June   2004
(Date of Deposit)

Signature   date

Amendment

Sir,

This is in response to the outstanding Official action dated December 9[th] 2003
now due for response by virtue of a petition for extension of time by three months on 9[th]
June 2004. The Fee for said extension of time and the additional claim charges are to
be paid by credit card, an authorization therefore is attached and transmitted herewith.In
case of error of instruction, further charges or refunds ONLY may assessed to the
account of the undersigned 02-1750. The present response is a revision of the originally
filed response to comply with the formal requirements of 37 CFR 1.121 as requested by
the Examniner in her action of 6.18.2004.

Please amend the above identified application as follows:

In the specification:

Page 1 Line 10 (if not already present) insert:

" RELATED APPLICATION

This application claims priority of Provisional Application 60/129,130 filed 13 April
1999 and PCT/US00/09493 filed 11 APRIL 2000 "

Page 19 Line 33: delete " 5.**Nature of the polymer**"
          Line 35: delete "6" insert in place thereof ..5..
Page 20 Line 6: delete "7" insert in place thereof ..6..
          Lines 10-12 : delete from "8 thru **indicator**"
          Line 14: delete "10" insert in place thereof ..7..
          Delete: **"Nature of the additives"** insert in place thereof
          ..**Sterilization time range**....
          Line 16: delete "he" insert in place thereof ..The..